

Substitute for form 1449A/PTO	Complete if Known		
DIFFORM CONTRACT OCCUPA	Application Number	10/043,374	
INFORMATION DISCLOSURE	Filing Date	January 8, 2002	
STATEMENT BY APPLICANT	First Named Inventor	Louis B. ROSENBERG	
(use as many sheets as necessary)	Group Art Unit	2672	
(use as many sneets as necessary)	Examiner Name	Unassigned	
of 3	Attorney Docket Number	IMMR-077/06US	

	ે લ્યાસ્ટ્ર - લ્યાસ્ટ્ર	525 525				PTO/SB/08	A (08-00)
MAR	2000	8.7 8.7		U.S. PAT	TENT DOCUMENTS		
S. Cara	Joanna No	U.S. Patent Do			Name of Patentee or Applicant of Cited Document	Date of Publication	
Examiner Initials*	No.	Number		Code² IOWn)	, , , , , , , , , , , , , , , , , , ,	Document MM-DI	>-YYYY
RLO	Al	5,785,630			Bobick, et al.	07/28/1998	3
	A2	5,766,016			Sinclair et al.	06/16/1998	3
	A3	5,547,382			Yamasaki et al.	08/20/1990	5
	A4	5,466,213			Hogan et al.	11/14/1995	5
	A5	5,334,027	1		Wherlock	08/02/1994	6
	A6	5,309,140			Everett, Jr., et al.	05/03/1994	.
	A7	5,299,810			Pierce et al.	04/05/1994	1
	A8	5,275,174			Cook	01/04/1994	6
	A9	5,271,290			Fischer	12/21/1993	3
	A10	5,240,417	1		Smithson et al.	08/31/1993	3
	A11	5,212,473	1		Louis	05/18/1993	3
	A12	5,078,152			Bond et al.	01/07/1992	2
	A13	5,038,089			Szakaly	08/06/199	1
	A14	5,035,242	1		Franklin et al.	07/30/199	
	A15	5,022,407			Horch et al.	06/11/199	1
	A16	5,019,761	1		Kraft	05/28/199]
	A17	4,934,694			McIntosh	06/19/1990)
	A18	4,930,770	1		Baker	06/05/1990	
	A19	4,891,764	1		McIntosh	01/02/1990	
	A20	4,794,392	1		Selinko	12/27/198	3
	A21	4,713,007			Alban	12/15/198	7
	A22	4,708,656			de Vries et al.	11/24/198	7
-	A23	4,599,070	†		Hladky et al.	07/08/198	6
	A24	4,581,491	1		Boothroyd	04/08/198	6
	A25	4,513,235	1		Acklam et al.	04/23/198	5
	A26	4,236,325	 		Hall et al.	12/02/198)
	A27	4, 160,508	† -		Salisbury, Jr.	07/10/1979	9
	A28	3,911,416	 		Feder	10/07/197	
	A29	3,903,614			Diamond et al.	09/09/197	
	A30	3,902,687	 		Hightower	09/02/197	5
	A31	3,623,064	· · · · ·		Kagan	11/23/197	1
	A32	3,517,446	1		Corlyon et al.	06/30/197	
	A33	3,497,668	1		Hirsch	02/24/197	0
	A34	3,220,121	1		Cutler	11/30/196	
	A35	3,157,853	1		Hirsch	11/17/196	
	<u> </u>		F	OREIGN	PATENT DOCUMENTS		-
Examiner	Cite	Foreign Patent I	Document			Date of Publication	
Initials*	No.	Office ³ Number ⁴		ind Code ⁵ if known)	Name of Patentee or Applicant of Cited Document	of Cited Document MM-DD-YYYY	T¢
RLO	BI	0 349 086		A1	Stork Kwant B.V.	01/03/1990	
	1	 					

Timo Osocio

2/24/05

Unique citation designation number.

See attached Kinds of U.S. Patent Documents.

Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3).

For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.

Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible.

Applicant is to place a check mark here if English language Translation is attached.

			A STATE OF THE STA			
Subs	stitute for form 14	49A/PT(MAIX -		Complete if Known	
TRE	EODRE LOY		schosure	Application Number	10/043,374	
IINI	FURWLATIC	אם אנ	SCDOORE	Filing Date	January 8, 2002	
ST	ATEMENT	BY A	PPLICANT	First Named Inventor	Louis B. ROSENBERG	
	(use as many s	hoote ne	: necessary)	Group Art Unit	2672	
	(use us many s		necessary	Examiner Name	Unassigned	
	2	of	3	Attorney Docket Number	IMMR-077/06US	


		OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS						
Examiner	Cite	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book,	T					
nitials*	No.	magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country						
		where published.						
PLO	Cı	Baigrie, "Electric Control Loading - A Low Cost, High Performance Alternative," Proceedings of Interservice/Industry						
7	<u> </u>	Training Systems Conference, pp. 247-254, November 6-8, 1990						
	C2	Iwata, "Pen-based Haptic Virtual Environment," 0-7803-1363-1/93 IEEE, pp. 287-292, 1993						
	 							
- 1	C3	Russo, "The Design and Implementation of a Three Degree of Freedom Force Output Joystick," MIT Libraries Archives	l					
	+	pp. 1-131, May 1990, archived 8/14/90						
j	C4	Brooks et al., "Hand Controllers for Teleoperation - A State-of-the-Art Technology Survey and Evaluation," JPL						
	 _	Publication 85-11, NASA-CR-175890; N85-28559, pp. 1-84, 03/1/1985						
- 1	C5	Jones et al., "A perceptual analysis of stiffness," ISSN 0014-4819 Springer International (Springer-Verlag); Experimental	l					
	<u> </u>	Brain Research, Vol. 79, No. 1, pp. 150-156, 1990						
1	C6	Burdea et al., "Distributed Virtual Force Feedback, Lecture Notes for Workshop on Force Display in Virtual						
1.		Environments and its Application to Robotic Teleoperation," 1993 IEEE International Conference on Robotics and						
	<u> </u>	Automation, pp. 25-44, 05/02/1993	<u> </u>					
1	C7	Snow et al., 'Model-X Force-Reflecting-Hand-Controller," NT Control No. NPO-17851; JPL Case No. 7348, pp. 1-4 with	l					
		45 pages of attachments, 06/15/1989						
1	C8	Ouh-Young, "Force Display in Molecular Docking," Doctoral Dissertation, University of North Carolina at Chapel Hill,						
	<u> </u>	UMI Order No. 9034744, p. 1-369, 1990						
1	C9	Tadros, "Control System Design for a Three Degree of Freedom Virtual Environment Simulator Using Motor/Brake Pair						
	1	Actuators," MIT Archive, pp. 1-88, February 1990, archived 8/13/90						
	C10	Caldwell et al., "Enhanced Tactile Feedback (Tele-Taction) Using a Multi-Functional Sensory System," 1050-4729/93,						
		pp. 955-960, 1993						
	C11	Adelstein et al., "Design and Implementation of a Force Reflecting Manipulandum for Manual Control research," DSC-						
		Vol. 42, Advances in Robotics, pp. 1-12, 1992						
- 1	C12	Gotow et al., "Controlled Impedance Test Apparatus for Studying Human Interpretation of Kinesthetic Feedback,"	1					
		WA11-11:00, pp. 332-337						
	C13	Stanley et al., "Computer Simulation of Interacting Dynamic Mechanical Systems Using Distributed Memory Parallel						
		Processors," DSC-Vol. 42, Advances in Robotics, pp. 55-61, ASME 1992						
	C14	Russo, "Controlling Dissipative Magnetic Particle Brakes in Force Reflective Devices," DSC-Vol. 42, Advances in						
		Robotics, pp. 63-70, ASME 1992						
	C15	Kontarinis et al., "Display of High-Frequency Tactile Information to Teleoperators," Telemanipulator Technology and						
		Space Telerobotics, Won S. Kim, Editor, Proc. SPIE Vol. 2057, pp. 40-50, Sep. 7-9, 1993						
	C16	Patrick et al., "Design and Testing of A Non-reactive, Fingertip, Tactile Display for Interaction with Remote						
J		Environments," Cooperative Intelligent Robotics in Space, Rui J. deFigueiredo et al, Editor, Proc. SPIE Vol. 1387, pp.						
	<u> </u>	215-222, 1990						
- 1	C17	Adelstein, "A Virtual Environment System For The Study of Human Arm Tremor," Ph.D. Dissertation, Dept. of						
		Mechanical Engineering, MIT, June 1989, archived 3/13/90						
- 1	C18	Bejczy, "Sensors, Controls, and Man-Machine Interface for Advanced Teleoperation," Science, Vol. 208, No. 4450, pp.						
		1327-1335, 1980						
	C19	Bejczy et al., "Generalization of Bilateral Force-Reflecting Control of Manipulators," Proceedings Of Fourth CISM-						
	<u> </u>	IFTOMM, Sep. 8-12, 1981						
	C20	McAffee et al., "Teleoperator Subsystem/Telerobot Demonstrator: Force Reflecting Hand Controller Equipment						
		Manual," JPL 1988, JPL D-5172						
	C21	Minsky, "Computational Haptics: The Sandpaper System for Synthesizing Texture for a Force-Feedback Display," Ph.D.						
		Dissertation, MIT, June 1995, archived 7/6/95						
	C22	Jacobsen et al., "High Performance, Dextrous Telerobotic Manipulator With Force Reflection," Intervention/ROV '91						
		Conference & Exposition, Hollywood, Florida, May 21-23, 1991						
	C23	Shimoga, "Finger Force and Touch Feedback Issues in Dexterous Telemanipulation," Proceedings of Fourth Annual						
		Conference on Intelligent Robotic Systems for Space Exploration, Rensselaer Polytechnic Institute, Sep. 30- Oct. 1, 1992						
	C24	IBM Technical Disclosure Bulletin, "Mouse Ball-Actuating Device With Force and Tactile Feedback," Vol. 32, No. 9B,						
	<u> </u>	February 1990						
	C25	Terry et al., "Tactile Feedback In A Computer Mouse," Proceedings of Fourteenth Annual Northeast Bioengineering						
i		Conference, University of New Hampshire, March 10-11, 1988						
	C26	Howe, "A Force-Reflecting Teleoperated Hand System for the Study of Tactile Sensing in Precision Manipulation,"	<u> </u>					
(Proceedings of the 1992 IEEE International Conference on Robotics and Automation, Nice, France, May 1992	 -					
_								
	C27	Eberhardt et al., "OMAR - A Haptic display for speech perception by deaf and deaf-blind individuals," IEEE Virtual						

Luino Osocia

Sheet

2/24/05

Available COPY



IMMR-077/06US

RY	.o C28	Rabinowitz et al., "Multidimensional tactile displays: Identification of vibratory intensity, frequency, and contractor area," Journal of The Acoustical Society of America, Vol. 82, No. 4, October 1987	
	C29	Bejczy et al., "Kinesthetic Coupling Between Operator and Remote Manipulator," International Computer Technology Conference, The American Society of Mechanical Engineers, San Francisco, CA, August 12-15, 1980	
	C30	Bejczy et al., "A Laboratory Breadboard System For Dual-Arm Teleoperation," SOAR '89 Workshop, JSC, Houston, TX, July 25-27, 1989	
	C31	Ouhyoung et al., "A Low-Cost Force Feedback Joystick and Its Use in PC Video Games," IEEE Transactions on Consumer Electronics, Vol. 41, No. 3, August 1995	
	C32	Marcus, "Touch Feedback in Surgery," Proceedings of Virtual Reality and Medicine The Cutting Edge, Sep. 8-11, 1994	
	/ C33	Bejczy, et al., "Universal Computer Control System (UCCS) For Space Telerobots," CH2413-3/87/0000/0318501.00 1987 IEEE, 1987	

Attorney Docket Number

164997 v1/RE 3JB901!.DOC

Sheet

¹ Unique citation designation number.

164151 v1/RE 3\$NR01!.DOC

white is a few source.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

² Applicant is to place a check mark here if English language Translation attached.

PTO/SB/08A (10-01) Approved for use through 10/31/2002. OMB 0651-0031=

2600

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Complete if Known

Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet of | 3

	Complete ii Kribwii	,	١.
Application Number	10/043,374	DECE	<u>, .</u>
Filing Date	January 8, 2002	HECE	1.
First Named Inventor	Louis B. Rosenberg	OCT 0 8	Jn,
Art Unit	2673	00100	101
Examiner Name	Unassigned	Technology Cer	ļ.,
Attorney Docket Number	IMMR077/06US	Commono BA OG	Jer

		·	U.S. PATENT DOC	UMENTS	
Examiner	Cite No.	Document Number Number Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
RLO		6,422,941	7/23/2002	Thorner et al.	
		6,160,489	12/12/2000	Perry et al.	
		6,111,577	8/29/2000	Zilles et al.	
		5,690,582	11/25/1997	Ulrich et al.	
		5,575,761	11/19/1996	Hajianpour	
		5,437,607	8/1/1995	Taylor	
		5,436,622	7/25/1995	Gutman et al.	
		5,283,970	2/8/1994	Aigner	
		5,186,695	2/16/1993	Mangseth et al.	
		5,175,459	12/29/1992	Danial et al.	
		5,165,897	11/24/1992	Johnson	
		5,022,384	6/11/1991	Freels	
		4,885,565	12/5/1989	Embach	
\perp		4,484,191	11/20/1984	Vavra	
\perp		4,464,117	8/7/1984	Foerst	
		4,333,070	6/1/1982	Barnes	
		4,262,549	4/21/1981	Schwellenbach	
		4,127,752	11/28/1978	Lowthorp	
V		2,972,140	2/14/1961	Hirsch	

Examiner Cite Initials* No.1		<u> </u>			Name of But of	Pages, Columns, Lines,	
				Kind Code [®] (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Where Relevant Passages or Relevant Figures Appear
RLO		JP	H2-185278		7/19/1990	Taito Corporation	
		JP	H4-8381		1/13/1992	Epoch Co. and Key- Planning Co.	
		JP	H7-24147		1/27/1995	Sega Corporation	
		JP	H5-192449		8/3/1993	Taito Corporation	
V						-	

		<u> </u>		
Examiner Signature	Kindo V	Date Consider	red 2/24/05	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Kind Codes of U.S. Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the Indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. Applicant is to place a check mark here if English language Translation is attached.

PTO/SB/08A (10-01) Approved for use through 10/31/2002. OMB 0651-0031=

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

uction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitut	te for form 14	49A/PTO				Complete if Known		\
					Application Number	10/043,374		}
INFO	DRMAT	ION [DIS	CLOSURE	Filing Date	January 8, 2002	<u> </u>	
STA	TEMEN	IT BY	′ A	PPLICANT	First Named Inventor	Louis B. Rosenbe	g HECFI	VER
					Art Unit	2673	-	
	(use as ma	ny sheet	ts as	necessary)	Examiner Name	Unassigned	OCT 0.8	2004
Sheet	2		of	3	Attorney Docket Number	IMMR077/06US	Technology Cel	7-01
							THE PROPERTY OF	コミロ りんへん

		OTHER PRIOR ART NON PATENT LITERATURE DOCUMENTS				
Examiner nitials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	_			
RLO		PATRICK, "Design, Construction, and Testing of a Fingertip Tactile Display for Interaction with Virtual and Remote Environments," <i>Master of Science Thesis</i> , MIT, Aug. 1990, archived Nov. 8, 1990.	-			
		CALDER, "Design of A Force-Feedback Touch-Introducing Actuator For Teleoperator Robot Control," Bachelor of Science Thesis, MIT, May 1983, archived June 23, 1983.	L			
		WIKER, "Teletouch Display Development: Phase 1 Report," Technical Report 1230, Naval Ocean Systems Center, San Diego, July 1988.	_			
		BLISS, "Optical-to-Tactile Image Conversion for the Blind," IEEE Transactions on Man-Machine Systems, Vol. MMS-11, No. 1, March 1970.	L			
		JOHNSON, "Shape-Memory Alloy Tactile Feedback Actuator," Armstrong Aerospace Medical Research Laboratory, AAMRL-TR-90-039, August, 1990.	_			
		KONTARINIS et al., "Tactile Display of Vibratory Information in Teleoperation and Virtual Environments," PRESENCE, 4(4):387-402, Harvard Univ., 1995.	_			
		AUKSTAKALNIS et al., "Silicon Mirage: The Art and Science of Virtual Reality," ISBN 0-938151-82-7, pp. 129-180, 1992.	_			
		EBERHARDT et al., "Inducing Dynamic Haptic Perception by The Hand: System Description and Some Results," DSC-Vol. 55-1, Dynamic Systems and Control: Volume 1, ASME 1994.	L			
		GOBEL et al., "Tactile Feedback Applied to Computer Mice," International Journal of Human-Computer Interaction, Vol. 7, No. 1, pp. 1-24, 1995.				
		PIMENTEL et al., "Virtual Reality: through the new looking glass," 2 rd Edition; McGraw-Hill, ISBN 0-07-050167-X, pp. 41-202, 1994.	_			
		Cyberman Technical Specification, Logitech Cyberman SWIFT Supplement to Logitech Mouse Technical Reference and Programming Guide, 4/5/1994.				
		OUHYOUNG et al., "The Development of A Low-Cost Force Feedback Joystick and Its Use In the Virtual Reality Environment," Proceedings of the Third Pacific Conference on Computer Graphics and Applications, Pacific Graphics '95, Seoul, Korea, 21-24 August 1995.	L			
		KACZMAREK et al., "Tactile Displays," Virtual Environment Technologies, Chap. 9, pp. 349-414.	-			
	-	LAKE, "Cyberman from Logitech," at http://www.ibiblio.org/GameBytes/issue21/greviews/cyberman.html, 1994.	F			
		"Component Maintenance Manual With Illustrated Parts List, Coaxial Control Shaker Part No. C-25502," Safe Flight Instrument Corporation, Revised 28 January 2002 (3 pages).	-			

Signature Considered Z/24/05	Examiner Signature Sizuado Marca	Date Considered	2/24/05
------------------------------	----------------------------------	--------------------	---------

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any burden nour Saterment. This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

OT PETCH OUT O 4 2004 ES Under the Parswork

PTO/SB/08A (10-01)
Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE ork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute (1) AUE 449A/PTO Complete if Known **Application Number** 10/043,374 INFORMATION DISCLOSURE Filing Date January 8, 2002 STATEMENT BY APPLICANT **First Named Inventor** Louis B. Rosenberg Art Unit 2673 UCT 0 8 2004 (use as many sheets as necessary) Examiner Name Unassigned

Sheet | 3 | of | 3 | Attorney Docket Number | IMMR077/06US | Technology Center 260(

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS						
Examiner Cite Initials * No.1		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.				
ZLO		"Technical Manual Overhaul Instructions With Parts Breakdown, Coaxial Control Shaker Part No. C-25502," Safe Flight Instrument Corporation, Revised 15 July 1980 (23 pages).	_			
7		SCANNELL, "Taking a Joystick Ride," Computer Currents, Boston Edition, Vol. 9, No. 11, November 1994	-			
$\sqrt{}$		ROSENBERG, "Virtual Fixtures: Perceptual Overlays Enhance Operator Performance in Telepresence Tasks," Ph.D. Dissertation, Stanford University, June 1994.	_			

Examiner Signature	Fina lo Come	Date Considered	2/24/05

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:
IMAGES ARE BEST AVAILABLE COPY. As rescanning these documents will not correct the image

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.